

Message

---

**From:** Deleray, Mark [MDeleray@mt.gov]  
**Sent:** 12/13/2017 6:56:30 PM  
**To:** Dick Sloan [rsloan@mt.gov]; Susan Nicosia [nicosias@cityofcolumbiafalls.com]; Cliff.boyd@Calbag.com; Eric H. Mulcahy [eric@sandssurveying.com]; ptravis@flatheadlandtrust.org; jenkinsg@cityofcolumbiafalls.com; Cirian, Mike [Cirian.Mike@epa.gov]  
**Subject:** RE: Fish pond excavation

I can make myself available on most days, not the 18<sup>th</sup>, but I may need to call in.  
Mark

---

**From:** Sloan, Richard  
**Sent:** Wednesday, December 13, 2017 8:33 AM  
**To:** Susan Nicosia <nicosias@cityofcolumbiafalls.com>; Cliff.boyd@Calbag.com; Eric H. Mulcahy <eric@sandssurveying.com>; ptravis@flatheadlandtrust.org; jenkinsg@cityofcolumbiafalls.com; Cirian, Mike <Cirian.Mike@epa.gov>; Deleray, Mark <MDeleray@mt.gov>  
**Subject:** RE: Fish pond excavation

Susan,  
December 18 and 19 are pretty open for a conference call..  
Thank you.


Dick Sloan

---

**From:** Susan Nicosia [mailto:nicosias@cityofcolumbiafalls.com]  
**Sent:** Tuesday, December 12, 2017 1:34 PM  
**To:** [Cliff.boyd@Calbag.com](mailto:Cliff.boyd@Calbag.com); Eric H. Mulcahy; [ptravis@flatheadlandtrust.org](mailto:ptravis@flatheadlandtrust.org); [jenkinsg@cityofcolumbiafalls.com](mailto:jenkinsg@cityofcolumbiafalls.com); Sloan, Richard; Cirian, Mike; Deleray, Mark  
**Subject:** Fish pond excavation  
**Importance:** High

All –  
We need to get together to determine if the fish pond excavation material can be moved to CFAC for potline fill in a timely and affordable manner. It would be best to meet, at least via a phone conference, later this week or early next week.  
Please let me know your availability as soon as possible,  
Thank you

Susan

Susan M. Nicosia, CPA, MPA   
City Manager/Planning & Zoning Administrator  
130 6<sup>th</sup> St West, Columbia Falls, MT 59912  
(406)892-4384 – Office  
(406)270-9865 – Cell

*"Great communities elevate the human spirit through beauty, amenity, culture and history."*

PLEASE DO NOT read, copy or disseminate this communication unless you are the intended addressee. This email communication contains confidential and/or privileged information intended only for the addressee. If you have received this communication in error, please call us at (406)892-4391 and ask to speak to the sender of the

communication. Also, please email the sender and notify the sender immediately that you have received this communication in error.